



SPECIFICATIONS
DS SERIES
 RANGE HOODS

2100 HVI CERTIFIED 200 CFM/6.5 SONES @ 0.10" SP. Horizontal
 200 CFM/6.5 SONES @ 0.10" SP. Vertical

• Dimensions

Overall bottom projection - 18³/₈"
 Overall top projection - 12"
 Height - 6"
 Available widths: 30" & 36"

• Hood Body

23 gauge cold rolled steel, auto welded, coated with a baked enamel finish.

• Motor

Variable speed, single coil, thermally protected, permanently lubricated. Rated 120 volts, 60 hz. Complete with 200°C lead wires.

• Lighting

Single 60 watt cook light capacity (bulb not included) complete with night light setting.

• Ducting Options


Horizontal ducting: 3¹/₄"x10" (duct adapter and damper included).
 Vertical ducting: 3¹/₄"x10" (duct adapter and damper included).
 Vertical ducting: 7" round (duct adapter and damper not included).
 Ductless: removable front vent (charcoal filter not included).

• Fan Blade


One piece polymeric, electronically balanced blade. 6⁵/₈" diameter with 5 paddles.

• Electrical connection

Hood top - 7/8" electrical knockout.
 Hood back - 7/8" electrical knockout.



DS SERIES



• Filters

UL rated, class 2 filter.
 Grease Filter: RF35 - 8⁷/₈"x10³/₈" (included).
 Charcoal Filter: RF34 (not included).
 Combo Grease/Charcoal: RF55 (not included).

• Available Finishes

White, Biscuit, Almond, Black & Stainless Steel.

EXPANDED PERFORMANCE										
Air Flow - CFM	Static Pressure (inches of w.g.)						Sones @ .1 SP	Fan Speed RPM	Power Watts	Amps
	0	0.05	0.1	0.15	0.2	0.25				
Vertical Ducting	233	218	200	181	158	132	6.5	2847	91.0	1.5
Horizontal Ducting	233	218	200	181	158	132	6.5	2847	91.0	1.5

PROJECT							ARCHITECT			
LOCATION							ENGINEER			
CONTRACTOR							SUBMITTED BY			DATE
FAN NUMBER	MODEL NUMBER	CFM	IN W.C.	RPM	WATTS	AMPS	SONES	QTY	OPTIONAL EQUIPMENT & REMARKS	



U.S.: 820 Lincoln Avenue
 West Chester, Pennsylvania 19380-4466
 Tel: (610) 692-7400 • 877-304-3785
 Fax: (610) 696-8048

Canada: 8 Edvac Drive
 Brampton, Ontario L6S 5P2
 Tel: (905) 456-2033 • 800-250-8767
 Fax: (905) 456-1015